



JIAXING ZURI IMP.&EXP. CO., LTD



PROFESSIONAL
SCREWS MANUFACTURER
FABRICANTE
PROFESIONAL DE **TORNILLOS**

Introduction/Introducción

- 01 Company Info
- 02 Production Process
- 03 Screw Data
- 04 Hex Washer Head Self Drilling Screw
- 05 Particle Board Screw
- 06 Drywall Screw
- 07 Modified Truss Head Screw
- 08 Self Tapping Screw & Machine Screw
- 09 Bugle Head Self Drilling Screw
- 10 Flat & Pan Head Self Drilling Screw
- 11 Self Drilling Screw with Wings
- 12 Hex Flange Head Screw
- 13 Chipboard screw
- 14 Hex Lag Screw & Wood Screw
- 15 Cement Board Screw & Concrete Screw
- 16 Sandwich Panel Screw
- 17 Farmer Screw, Head Coating
- 18 Wood Construction Screw
- 19 Other Fasteners
- 20 Other Fasteners

Company Info.

Producing Quality Screws Since 2007.


- 60 Cold Heading Machines
- 60 Thread Rolling Machines
- 9 Drilling Point Pinching Machines
- 6 Thread Cutting Machines
- 3 Assembling Washers to Screws Machines
- 3 Automatic Packing Machines

Annual Capacity: 7000Tons

Main Markets: Mexico, Central America, Colombia, Ecuador, Peru, Chile, and others.



Screw Production Process



Screw Test Machines



Torque Force Test Machine



Drilling Speed Test Machine



Drilling Point thickness Test Machine



Hardness Test Machine



Salty Spray Test Machine

JIAXING ZURI IMP.&EXP. CO., LTD.
 JIAXING FASTENERS CO., LTD.
 Inspection Report
 2018-08-08

NO.	ITEM	UNIT	TEST RESULT	REMARKS
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				
64				
65				
66				
67				
68				
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				
93				
94				
95				
96				
97				
98				
99				
100				


Test Report

Screw Data


Head Styles




Head Recess



Threads



Drive Style



Tornillo Hexagonal Punta de Broca Indent Hex Washer Head Self Drilling Screw

Fastening Metal to Metal
For Roofing, Steel Stud Framing, Panel and others

Specification	Head	Drive	Material	Finish	Point
ASME, SAE, DIN According to customer's drawing and samples	Indent Hex Washer	Hexagon/ Slot/Phillips	Carbon Steel Hardened	Zinc Plated/ Ruspert/ Others	#3 Drill Point




Size	Length
#8(M4.2)	1/2"~6" (13mm~150mm)
#10(M4.8)	
#12(M5.5)	
#14(M6.3)	



Package: Bulk/Small box/Plastic Bag

With Black Rubber bonded steel washer
Con Rondana de Neopreno



AS Standard

Size	B mm	A mm	h mm	H mm
#8	8.18-8.84	6.19-6.35	0.48-0.79	2.44-2.79
#10	9.75-10.51	7.74-7.92	0.48-0.79	2.67-3.05
#12	10.11-10.97	7.74-7.92	0.56-0.99	3.53-3.94
#14	12.19-13.21	9.32-9.52	0.76-1.27	4.37-4.83

DIN Standard

Size	B mm	A mm	h mm	H mm
M4.2	8.20-8.80	6.78-7.00	0.90	4.00-4.25
M4.8	8.80-10.50	7.78-8.00	0.90	4.15-4.45
M5.5	10.00-11.00	7.78-8.00	1.00	5.15-5.45
M6.3	12.20-13.20	9.78-10.00	1.00	5.65-6.45

Tornillo con Nibs para Madera Particle Board Screw

Fastening materials of particle board/OSB/MDF

Specification	Head	Drive	Material	Finish	Point
ASME, DIN According to customer's drawing and samples	Flat Head with Nibs	Phillips/ Square/ Phillips+Square Combination	Carbon Steel Hardened	Black Phosphated/ Zinc Plated/ Ruspert/ Others	Sharp/ Type 17

Size	Length
#6(M3.5)	1/2"~6" (13mm~150mm)
#8(M4.2)	
#10(M4.8)	
#12(M5.5)	
#14(M6.3)	

Package: Bulk/Small box/Plastic Bag



Type 17 Point



Hinge Screw

Using for drawer slides, hinges and other cabinet accessories

Popular Size	
#6x1/2"	#8x5/8"
#6x3/4"	#8x3/4"
#6x5/8"	#8x1"



Bright Brass



Antique Brass



Nickle

Tornillos para Tablaroca Drywall Screw

Mainly used for the installation various plasterboard, gypsum, lightweight walls and ceilings.


Specification	Head	Drive	Material	Finish	Thread
ASME,DIN According to customer's drawing and samples	Bugle Head	Phillips	Carbon Steel Hardened	Black/Grey Phosphated, Zinc plated/ Ruspert/Others	Coarse/ Fine

Size	Length
#6(M3.5)	1/2"-6" (13mm~150mm)
#7(M3.9)	
#8(M4.2)	
#10(M4.8)	
#12(M5.5)	
#14(M6.3)	

Package: Bulk/Small box/Plastic Bag




Fine thread



Size	D	A	K	TORQ kg-cm
#6	3.40-3.60	7.90-8.30	0.50-0.80	Min 28
#7	3.80-4.00	7.90-8.30	0.50-0.80	Min 35
#8	4.10-4.30	7.90-8.30	0.50-0.80	Min 45
#10	4.80-5.00	8.80-9.40	0.80-1.00	Min 65

Coarse thread



Size	D	A	K	TORQ kg-cm
#6	3.50-3.90	7.90-8.50	0.50-0.80	Min 28
#7	3.80-4.20	7.90-8.50	0.50-0.80	Min 35
#8	4.20-4.60	7.90-8.50	0.50-0.80	Min 45
#10	4.90-5.35	8.80-9.40	0.80-1.00	Min 65

Tornillo K-LATH Modified Truss Head Screw


Fastening Lath to light gauge metal or wood

Specification	Head	Drive	Material	Finish	Point
ANSI, IFI, DIN According to customer's drawing and samples	Modified Truss Head (K-Lath)	Phillips	Carbon Steel Hardened	Blue White Zinc Plated/ Black Phosphated	#2 Drill Point/ Sharp point




Size	Length
#8(M4.2)	1/2"~3"
#10(M4.8)	(13mm~76mm)

Package: Bulk/Small box/Plastic Bag



Size	D mm	A mm	H mm	TORQ kg-cm
#8	4.00-4.30	10.50-11.00	2.5	Min 38



Size	D mm	A mm	H mm	TORQ kg-cm
#8	4.05-4.30	10.30-11.00	2.1-2.4	Min 33

Tornillo Lamina Self Tapping Screw

Fastening metal sheet to metal sheet or plastic, aluminum, wood, or hard rubber

Specification	Head	Drive	Material	Thread Type	Finish
ASME, DIN According to customer's drawing and samples	Pan head/ Flat head/ Indented Hex washer head	Phillips/Slot/ Slot+Phillips combination	Carbon Steel Hardened	Type AB, Type A, Type B	Blue White Zinc Plated/Black Zinc Plated/Others

Size	Length
#4(M2.5)	3/8"-6" (9.5mm-150mm)
#6(M3.5)	
#8(M4.2)	
#10(M4.8)	
#12(M5.5)	
#14(M6.3)	

Package: Bulk/Small box/Plastic Bag



Hex Washer Head
Cabeza de hexagonal



Pan Head
Cabeza de Fijadora



Flat Head
Cabeza de Plana



Tornillo de la Máquina Machine Screw

Used to connect metal components in appliances, electronic devices, tools, vehicles, and machines of every type

Specification	Head	Drive	Material	Finish
ASME, SAE, ANSI, DIN According to customer's drawing and samples	Pan/Flat Head	Phillips/Slot/ Slot+Phillips combination	Carbon Steel	Zinc Plated/Others

Size	Length
#4-5/16" (M2.5-M8)	1/2"-6" (13mm-150mm)

Package: Bulk/Small box/Plastic Bag



Flat Head
Cabeza Plana



Pan Head
Cabeza Redonda


Tornillo Cabeza de Corneta Punta de Broca Bugle Head Self Drilling Screw

Fastening wood to metal
Using in flat surface required

Specification	Head	Drive	Material	Finish	Point
ASME, ANSI, IFI, DIN According to customer's drawing and samples	Bugle Head	Phillips	Carbon Steel Hardened	Zinc Plated/ Black Phosphated/ Ruspert/Others	#2, #3 drill point



Size	Length inch	Length mm	Drill Point	Drill Capacity mm
#6 M3.5	1"	25	#2	0.5-1.0
	1-1/4"	32	#2	0.5-1.0
	1-1/2"	38	#2	0.5-1.0
	2"	50	#2	0.5-1.0
#8 M4.2	1"	25	#3	1.0-2.0
	1-1/2"	38	#3	1.0-2.0
	2"	50	#3	1.0-2.0
	2-1/2"	65	#3	1.0-2.0
	3"	75	#3	1.0-2.0



Package: Bulk/Small box/Plastic Bag


Tornillo de Framer Punta de Broca Pan Framing Head Self Drilling Screw

Fastening Light Duty Aluminum and Steel

Specification	Head	Drive	Material	Finish	Point
ANSI, IFI, DIN According to customer's drawing and samples	Pan Framing Head	Phillips	Carbon Steel Hardened	Blue White Zinc Plated/Black Phosphated	#2 drill point



Size	Length inch	Length mm
#6 M3.5	7/16"	11
#7 M3.9	7/16"	11



Package: Bulk/Small box/Plastic Bag



Tornillo Cabeza Plana Punta de Broca Flat Head Self Drilling Screw

Fastening on windows or door frame
Using in flat surface required

Specification	Head	Drive	Material	Finish	Point
ASME, SAE, DIN According to customer's drawing and samples	Flat head	Phillips	Carbon Steel Hardened	Zinc Plated/ Ruspert/Others	#2, #3 drill point

Size	Length
#6(M3.5)	1/2"-6" (13mm~150mm)
#8(M4.2)	
#10(M4.8)	
#12(M5.5)	
#14(M6.3)	

Package: Bulk/Small box/Plastic Bag



Tornillo Cabeza Fijadora Punta de Broca Pan Head Self Drilling Screw

Fastening sheet to steel, steel frame construction

Specification	Head	Drive	Material	Finish	Point
ASME, SAE, DIN According to customer's drawing and samples	Pan Head	Phillips	Carbon Steel Hardened	Zinc Plated/ Ruspert/ Others	#2, #3 drill point

Size	Length
#6(M3.5)	1/2"-6" (13mm~150mm)
#8(M4.2)	
#10(M4.8)	
#12(M5.5)	
#14(M6.3)	

Package: Bulk/Small box/Plastic Bag




Tornillo Punta de Broca con Wings Self Drilling Screw with Wings

Fastening wood, plywood to steel studs
Nibs under head clamp board firmly
Wings ream a hole in the wood to prevent thread engagement
and break away when self-tapping into metal

Specification	Head	Drive	Material	Thread Type	Finish	Point
ANSI, IFI, DIN According to customer's drawing and samples	Flat head with 6 nibs/ Large wafer head with 8 nibs	Phillips	Carbon Steel Hardened	Type BSD, Type CSD	Zinc Plated/ Ruspert/Others	#3 drill point

Size	Length
#10(M4.8)	1"-4" (25mm~100mm)
#12(M5.5)	
#14(M6.3)	

Package: Bulk/Small box/Plastic Bag



Large wafer head
Cabeza Oblea Grande



Flat head
Cabeza Plana


Tornillo Hexagonal Punta Espada Hex Flange Head Spoon Point with Black Rubber

Fastening sheet metal to wood
Silver ruspert coating provides excellent protection from corrosion

Specification	Head	Material	Finish	Point
ANSI, DIN According to customer's drawing and samples	Hex Flange head with black rubber	Carbon Steel Hardened	Sliver Ruspert Coating/Others	Spoon point



Size	Length inch	Length mm
#10-12 M4.8	3/4"	19
	1"	25
	1-1/2"	38
	2"	50
	2-1/2"	65
	3"	75



Package: Bulk/Small box/Plastic Bag


Hex Flange Head Self Drilling Screw with Black Rubber

Using for steel panel to steel material connection
Drill capacity 5.0mm steel material
Silver ruspert coating provides excellent protection from corrosion

Specification	Head	Material	Thread	Finish	Point
ANSI,SAE, DIN According to customer's drawing and samples	Hex Flange head with black rubber	Carbon Steel Hardened	Double Thread, Staight Knurls on Flank	Sliver Ruspert Coating/Others	#3 drill point



Size	Length inch	Length mm	Drill Point	Drill Capacity mm
#12-14 M5.5	1-1/2"	38	#3	2.0-4.0
	2"	50	#3	2.0-4.0
	2-1/2"	65	#3	2.0-4.0
	3"	75	#3	2.0-4.0




Package: Bulk/Small box/Plastic Bag

Tornillos para Chipboard Chipboard Screw


Fastening low, medium or high density of chipboard, wood and metal sheet.
Mainly used in furniture manufacturing, cabinets, and other fields.



Specification	Head	Drive	Material	Finish
DIN7505A According to customer's drawing and samples	Double flat head/Flat head	Pozi/ Phillips/Torx	Carbon Steel Hardened	Zinc Plated



Double flat head Chipboard screw



Flat head Chipboard screw

Size	Recess No. (pozi)	DK mm	D mm	P mm	Length mm
M2.5	1	4.60-4.90	2.30-2.45	1.10	10-25
M3.0	1	5.50-6.00	2.75-3.00	1.35	10-40
M3.5	2	6.50-7.00	3.20-3.50	1.60	12-50
M4.0	2	7.50-8.00	3.70-4.00	1.80	12-80
M4.5	2	8.50-9.00	4.20-4.50	2.00	16-80
M5.0	2	9.50-10.00	4.70-5.00	2.20	20-120
M6.0	3	11.50-12.00	5.70-6.00	2.60	30-200

Tornillo de Cabeza Hexagonal para Madera Hex Lag Screw

For connecting heavy lumber and other materials that bear an intense load

Specification	Head	Material	Finish
ASME, ANSI, DIN According to customer's drawing and samples	Hex Head	Carbon Steel	Blue White Zinc Plated/Hot dipped galvanized



Size	Length
1/4"~1/2"	1"~10"

Package: Bulk/Small box/Plastic Bag

Tornillo para Madera Wood Screw

Commonly used in the door, building industry for cabinets, countertops, stairs, furniture. Flat heads are countersunk into wood for a flush installation. Coarse threads and a sharp point make wood screws easy to install.

Specification	Head	Material	Finish
ASME, ANSI, DIN According to customer's drawing and samples	Flat Head	Carbon Steel	Zinc Plated




Size	Length
#4~#14	1/2"~4"

Package: Bulk/Small box/Plastic Bag


Tornillo para Placa de Cemento Cement Board screw

Fastening Cement Board to Metal Studs (Drill point)
Fastening Cement Board to Wood Studs (Sharp/Spoon point)
Nibs under head clamp board firmly
Ceramic coating provides excellent protection from corrosion

Specification	Head	Drive	Material	Finish
ASME, SAE, DIN According to customer's drawing and samples	Large wafer head with nibs	#2 Phillips	Carbon Steel Hardened	Blue White Zinc Plated/ Ceramic/Others



Size	Length inch	Length mm
#8 M4.2	1-1/4"	32
	1-1/2"	38
	1-5/8"	41
	2"	50
	2-1/2"	64
	3"	75



Package: Bulk/Small box/Plastic Bag

Tornillo para Concreto Concrete Screw

For anchoring into concrete, masonry, brick or block
Hi-Lo serrated thread design adds strength and reduces required installation torque
Blue Ruspert coating provides excellent protection from corrosion

Specification	Head	Drive	Material	Finish	Thread	Point
ASME, DIN According to customer's drawing and samples	Flat Head/ Hex Washer Head	Phillips/ Slotted	Carbon Steel Hardened	Blue Ruspert Coating	Hi-Low with 3 Grooves on Thread	Nail Point

Size	Length
3/16"(M4.8)	1-1/4"~6" (32mm~150mm)
1/4"(M6.3)	





Package: Bulk/Small box/Plastic Bag

Tornillo para Panel Sándwich Sandwich Panel Screw

Fastening sandwich panel to steel framing
 Double thread for the purpose using exterior roofing environment
 High thread under the head prevents panel stripout

Specification	Head	Material	Point	Finish
ASME, SAE, DIN According to customer's drawing and samples	Indent Hex Washer	Carbon Steel Hardened	#3, #5 Drill point	Blue White Zinc Plated /Ruspert/Oth- ers




Size	Length inch	Length mm	Drill Point	Drill Capacity mm
#14-14/ #12-24 M6.3/M5.5	3"	75	#5	10.0-12.0
	3-1/2"	90	#5	10.0-12.0
	4"	100	#5	10.0-12.0
	5"	130	#5	10.0-12.0
	6"	150	#5	10.0-12.0
	7"	180	#5	10.0-12.0
	8"	200	#5	10.0-12.0
	10"	250	#5	10.0-12.0
	11"	280	#5	10.0-12.0

Package: Bulk/Small box

Tornillo de Framer Farmer Screws, Head Coating

Fastening sheet-metal to walls and roofs
EPDM bonded steel washer ensures an effective seal and resistance
Various colors as in RAL for selection

Specification	Head	Drive	Material	Finish	Point
ASME, SAE, DIN According to customer's drawing and samples	Indent Hex Washer	Hexagon	Carbon Steel Hardened	Blue White Zinc Plated, Head and steel washer colorful coating	#2 Drill Point



Size	Length inch	Length mm	Drill Point	Drill Capacity mm
#10-12 M4.8	3/4"	19	#2	1.0-1.60
	1"	25	#2	1.0-1.60
	1-1/8"	28	#2	1.0-1.60
	1-1/4"	32	#2	1.0-1.60
	1-1/2"	38	#2	1.0-1.60
	2"	50	#2	1.0-1.60
	2-1/2"	64	#2	1.0-1.60
	3"	75	#2	1.0-1.60

Package: Bulk/Small box

Tornillo para Construcción de Madera

Wood Construction Screw

Widely used in wooden constructions

Type-17 slot is optimized to maximize drilling efficiency.

The addition of serration also greatly reduces the friction of penetration.

Specification	Head	Material	Drive	Thread	Finish
EN14592 According to customer's drawing and samples	Large Wafer CSK head/Double countersunk head with 6nibs /Hex washer head	Carbon Steel Hardened	Torx drive	U-Thread Type 17 cutting point	Zinc Plated/ Ruspert/Others

Size	Length
M3-M10	16-300mm



Large Wafer CSK head




Double CSK head with 6nibs



Hex washer head

Otros Sujetadores
Other Fasteners



Confirmat Screw

Size: M5.0, M6.3, M7.0
Length: 40mm~70mm




Connecting Screw

Size: M4.0x45mm



Roof Hook: J Bolt+ Hex Nut+ Steel Washer+ Rubber Washer

Size:1/4"x2"~8"



Roof Hook: Straight Bolt+Hex Nut+ Steel Washer+ Rubber Washer

Size:1/4"x2"~16"



Concrete Screw Anchor Hex Washer Head

Size:M6.5~M14
Length:30mm~240mm



EPDM bonded Steel Washer

Size :14x(2.0+0.5) mm
16x(2.0+0.5) mm
Others

Otros Sujetadores Other Fasteners



Hex Bolt/Tornillo Hexagonal



Carriage Bolt/Tornillo Coche



Hex Nut/Tuerca Hexagonal



Flat Washer/Rondana Plana



Threaded Rod/Varilla Roscada



Sleeve Anchor/Taquete



Platic Anchor with screw



Phillips Bit



Hex Socket Sleeve



Toggle Bolt Anchor Pan Head Screw



Rivet



Shooting Nail

To Be Your Reliable Screw Supplier!

Our company sends sales representatives to meet clients in different cities to know more about their needs and offer high-quality screws with competitive prices and better service.



How you can find us

Attending following fairs every year:

1. Canton Fair during April 15th~19th in Guangzhou, China
2. Expo Nacional Ferretera during September 7th~9th in Guadalajara, Mexico

Contact Information

JIAXING ZURI IMP.&EXP. CO., LTD

Office add: Room 906, Building 1, No.362 Fuxing Road, Nanhu District, Jiaxing City, Zhejiang Province, China.

Factory add: North side of Yufeng Road, Yuxin Town, Nanhu District, Jiaxing City, Zhejiang Province, China.

Website:www.zurihardware.com / www.zurifastener.com

Please send your inquiry to:

Mr.Jack Linn / Sales Manager

Email: jack@zurihardware.com / zuri.jack@hotmail.com

Mobile Phone: +86 139 673 15113



Wechat



WhatsApp



Download Catalog